

chem. Stoffe	Calcium	Magnesium	Natrium	Kalium	Fluorid	Eisen	Nitrit	Nitrat	Chlorid	Sulfat	pH - Wert	Leitfähigkeit	Gesamthärte	Härtebereich
Grenzwert	---	---	200	---	1,5	0,2	0,5	50	250	240	9,5	2500		
Probeort	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l		uS/cm	°dH	
<b>Groß -Umstadt</b>														
HB Eselsberg														
Tiefzone	142,00	24,70	9,00	< 0,5	0,19	< 0,01	< 0,05	47,20	43,90	43,10	7,32	731,00	25,50	hart
HB Hainrich														
Hochzone	96,00	17,20	7,50	< 0,5	0,14	< 0,01	< 0,05	40,10	33,80	31,60	7,43	558,00	17,40	hart
<b>Dorndiel</b>														
HB Dorndiel und														
Ortslugelage	82,40	15,80	4,60	< 0,5	< 0,1	< 0,01	< 0,05	15,80	17,30	19,10	7,16	439,00	14,90	hart
<b>Heubach</b>														
HB Heubach														
Ortslugelage HB Heubach	68,30	15,30	7,50	1,80	< 0,1	< 0,01	< 0,05	6,30	14,60	25,30	7,63	422,00	13,10	mittel
Ortslugelage HB Hainrich	96,00	17,20	7,50	< 0,5	0,14	< 0,01	< 0,05	40,10	33,80	31,60	7,43	558,00	17,40	hart
<b>Klein-Umstadt</b>														
HB Klein-Umstadt														
und Ortslugelage	90,30	16,40	5,80	1,60	0,19	< 0,01	< 0,05	14,40	12,90	7,90	7,51	495,00	16,40	hart
<b>Kleestadt</b>														
Ortslugelage Kleestadt														
wie HB Klein-Umstadt	90,30	16,40	5,80	1,60	0,19	< 0,01	< 0,05	14,40	12,90	7,90	7,51	495,00	16,40	hart
<b>Raibach</b>														
Ortslugelage Raibach	66,30	11,50	7,20	0,60	< 0,10	< 0,01	< 0,05	32,50	25,80	24,80	7,54	394,00	11,90	mittel
<b>Richen</b>														
Ortslugelage Richen	142,00	24,70	9,00	< 0,5	0,19	< 0,01	< 0,05	47,20	43,90	43,10	7,32	731,00	25,50	hart
<b>Semd</b>														
TB Semd und Ortslugelage	95,50	19,00	6,30	< 0,5	0,14	< 0,01	< 0,05	17,00	15,40	5,40	7,39	507,00	17,70	hart
Ortslugelage ZVG	71,10	10,10	10,70	2,90	< 0,10	< 0,01	< 0,05	18,40	18,30	58,40	7,44	479,00	12,30	mittel
<b>Wiebelsbach</b>														
Ortslugelage	69,60	15,20	4,40	0,90	< 0,10	< 0,01	< 0,05	21,40	15,10	17,10	7,50	414,00	13,20	mittel