

chem. Stoffe	Calcium	Magnesium	Natrium	Kalium	Fluorid	Eisen	Nitrit	Nitrat	Chlorid	Sulfat	Uran	pH - Wert	Leitfähigkeit	Gesamthärte
Grenzwert	---	---	200	---	1,5	0,2	0,5	50	250	240	0,01	9,5	2500	
Probeort	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l		uS/cm	°dH
<b>Groß -Umstadt</b>														
HB Eselsberg														
Tiefzone	139,00	24,60	9,50	1,40	0,14	< 0,01	< 0,05	42,10	50,00	47,50	0,0066	7,60	859,00	25,10
HB Hainrich														
Hochzone	88,20	15,70	8,00	1,60	0,13	< 0,01	< 0,05	43,40	36,00	25,80	0,0021	8,17	855,00	15,90
<b>Dorndiel</b>														
HB Dorndiel und														
Ortslage	70,90	18,10	5,70	1,50	< 0,10	< 0,01	<0,05	19,50	23,20	21,30	<0,0005	7,27	519,00	14,10
<b>Heubach</b>														
HB Heubach														
Ortslage HB Heubach	69,90	15,80	8,30	3,50	0,12	< 0,01	< 0,05	6,90	18,70	27,80		8,21	481,00	13,40
Ortslage HB Hainrich	88,20	15,70	8,00	1,60	0,13	< 0,01	< 0,05	43,40	36,00	25,80	0,0021	8,17	855,00	15,90
<b>Klein-Umstadt</b>														
HB Klein-Umstadt														
und Ortslage	86,40	16,80	6,20	1,70	0,17	< 0,01	< 0,05	14,60	13,80	7,40	0,0019	7,47	563,00	15,90
<b>Kleestadt</b>														
Ortslage Kleestadt														
wie HB Klein-Umstadt	86,40	16,80	6,20	1,70	0,17	< 0,01	< 0,05	14,60	13,80	7,40	0,0019	7,47	563,00	15,90
<b>Raibach</b>														
Ortslage Raibach	61,50	11,20	8,70	1,70	0,11	0,04	< 0,05	31,50	27,80	24,50	0,0010	7,49	458,00	11,20
<b>Richen</b>														
Ortslage Richen	139,00	24,60	9,50	1,40	0,14	< 0,01	< 0,05	42,10	50,00	47,50	0,0066	7,60	859,00	25,10
<b>Semd</b>														
TB Semd und Ortslage	95,50	19,30	6,30	0,70	0,16	< 0,01	< 0,05	18,70	18,50	5,40	0,0018	7,52	591,00	17,80
<b>Wiebelsbach</b>														
Ortslage	70,70	15,70	5,40	2,40	0,11	< 0,01	< 0,05	23,50	15,80	18,10	0,0007	8,10	460,00	13,50